

Home Gardening Series

Salsify

Craig R. Andersen
Associate Professor and
Extension Specialist -
Vegetables

Environment

Light – sunny
Soil – well-drained, deep
Fertility – rich
pH – 5.8 to 7.5
Temperature – cool
Moisture – moist

Culture

Planting – seed late winter or
late summer
Spacing – 2 x 18 inches
Hardiness – hardy
Fertilizer – medium to heavy

Salsify – *Tragopogon porrifolius* or *Scorzonera hispanica*

Salsify (also known as vegetable oyster or oyster plant because of the flavor of the cooked roots) is a hardy biennial that produces an edible root the first year. The top tends to spread, rather than grow upright, giving salsify a somewhat different appearance from most garden vegetables. Because of its ability to withstand a hard freeze in the winter, salsify may be harvested until early spring. The tapered roots (1/2 to 3/4 inch in diameter and 8 to 10 inches long) are made into milk stew or cooked and served cold as a salad vegetable.



Cultural Practices

Planting Time

Salsify is grown in much the same way as parsnip. Plant the seed in deep, well-prepared fertile soil in late spring or summer (about 100 days before freezing weather).

Spacing and Depth of Planting

Plant seed 1/2 to 3/4 inch deep (10 to 12 seeds per foot of row) in rows 18 to 24 inches apart. When the seedlings are 2 inches high, thin to 2 to 4 inches apart.

Care

Salsify is slow growing when young; frequent, shallow cultivation is necessary to remove weeds. It is free from most garden diseases and insects and will withstand dry conditions once it is well established.

*Arkansas Is
Our Campus*

Visit our web site at:
<http://www.uaex.edu>

Cultivars -

Crop	Cultivar	Days to Maturity	Seed Per 100 Feet of Row	Remarks
Salsify	Mammoth Sandwich Island	120	1/8 ounce	Easy to grow roots which have an oyster-like flavor. Best to harvest after a frost. An excellent keeper.
	Belstar Super	90	1/8 ounce	Black Scorzonera roots with white flesh.

Harvesting

The flavor of salsify, like that of parsnip, is improved after several hard frosts in the fall cause a sweetening of the roots. Harvest any time through April. Cut off the leaves 1 inch above the roots; store the roots under conditions similar to those for storing

parsnip. Gardeners without storage facilities may mulch the salsify rows with straw and dig the roots as needed throughout the winter. If allowed to grow a second year, salsify will send up seedstalks and bloom.

Photo Credit: R.A. Howard @ USDA-NRCS PLANTS Database

Printed by University of Arkansas Cooperative Extension Service Printing Services.

DR. CRAIG R. ANDERSEN is associate professor and Extension specialist - vegetables, Horticulture Department, University of Arkansas Division of Agriculture, Fayetteville.

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Director, Cooperative Extension Service, University of Arkansas. The Arkansas Cooperative Extension Service offers its programs to all eligible persons regardless of race, color, national origin, religion, gender, age, disability, marital or veteran status, or any other legally protected status and is an Affirmative Action/Equal Opportunity Employer.